

SSH Proxy (c) 2000 D-Bross

A full featured SOCKS 4&5 proxy written in Java

This article was contributed by **Svetoslav Chekanov**.

Environment: Java

License: Free for non-commercial use.

Overview

The SSH Proxy is full featured SOCKS 4&5 Proxy written in Java.


It supports both versions 4 and 5 of the Socks protocol including all SOCKS commands - CONNECT, BIND and UDP Association.

Additional feature that I have implemented in SSH Proxy is possibility to make TCP connections through HTTP-SSL Tunnel.


SSH Proxy works in two modes:

1. Normal mode - works as regular SOCKS 4&5 Proxy
2. TCP via HTTP-S mode - Works as SOCKS Proxy but makes SOCKS TCP connections via HTTP-SSL Tunnel Proxy.

SSH Proxy as a regular SOCKS Proxy



SSH Proxy via HTTP-S tunnel



The TCP through HTTP-S mode is very useful when user works behind HTTP Proxy and has not any other access to the Internet. In this case the user can run SSH Proxy on his/her machine (or elsewhere in the LAN), and configure it to use TCP connections through HTTP-SSL tunnels that are commonly supported by most HTTP proxies. This way he/she will be able to use other internet applications, eg. IRC, FTP, e-mail, telnet and of course HTTP (web browsing).

Note that if SSH Proxy works behind a firewall in TCP over HTTP-S mode - the other SOCKS commands: BIND and UDP association will not work.

SSH Proxy loads its configuration from file **config.txt** that should be in the same directory as SSH Proxy.

The config file looks like the following block of text:

```
# Copyright (c) 2000 D-Bross free@d-bross.com
```

```
# Not for commercial use
```

```
#-----
```

```
# All logical variables can be set
# with values: 1/0 or yes/no
#-----
#EnableLog=no
EnableLog=yes
#-----
SOCKSPort=8888
#-----
#UseSHttpProxy=yes
UseSHttpProxy=no
#SHttpProxyHost=192.168.1.254 - http proxy of your lan.
#SHttpProxyPort=8080 - the port on which http proxy listens.
SHttpProxyHost=<SHTTP Proxy Host/IP>
SHttpProxyPort=<SHTTP Proxy Port>
#-----
```

The variables `UseSHttpProxy` and `EnableLog` are logical. So you can specify their values either by `1`, `0`, `Yes` or `No`.